

Table 1.A. - Preliminary Cod Landings by Stock Area

	FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		2003/2004*		2002/2003*		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03-Apr04 as a % of Target TAC	Target TAC 1000 Lbs	May02-Apr03 as a % of Target TAC	Target TAC 1000 Lbs	
GULF OF MAINE	549	53%	578	35%	185	8%	7,354	40%	125%	5,899	185%	4,229	
OTTER TRAWL	239	23%	250	15%	151	7%	4,006	22%	68%		77%		
GILLNET	243	24%	247	15%	25	1%	2,928	16%	50%		60%		
HOOK	48	5%	52	3%	7	0%	247	1%	4%		3%		
OTHER GEARS	19	2%	29	2%	2	0%	173	1%	3%		4%		
GEORGES BANK	477	47%	1,067	65%	2,053	92%	11,259	60%	198%	5,694	105%	10,803	
OTTER TRAWL	423	41%	1,015	62%	1,995	89%	9,180	49%	161%		76%		
GILLNET	26	2%	23	1%	53	2%	1,522	8%	27%		20%		
HOOK	24	2%	18	1%	1	0%	271	1%	5%		5%		
OTHER GEARS	4	0%	11	1%	4	0%	287	2%	5%		4%		
ALL AREAS	1,027	100%	1,646	100%	2,238	100%	18,614	100%	161%	11,593	116%	15,032	
OTTER TRAWL	662	65%	1,265	77%	2,145	96%	13,186	71%	114%		76%		
GILLNET	268	26%	270	16%	78	3%	4,450	24%	38%		31%		
HOOK	73	7%	70	4%	8	0%	518	3%	4%		5%		
OTHER GEARS	23	2%	41	2%	6	0%	460	2%	4%		4%		
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	1,027		1,646		2,238		18,614						18,614
Fishing Year 2002/2003	1,238		3,183		3,480		25,327						25,327
Fishing Year 2001/2002	2,534		3,117		5,017		35,510						35,510
Fishing Year 2000/2001	1,409		2,857		4,549		27,945						27,945
Fishing Year 1999/2000	1,405		2,427		2,747		21,323						21,323
Fishing Year 1998/1999	1,176		2,049		3,358		23,702						23,702

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. Landings in live weight.
 3. State landings for 2002 have been updated and are complete.
 4. State landings for CT are estimated for the MAY 2003 - APR 2004 period.
 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May 2003 - Apr 2004

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,666	959	58%	707	42%	1,181	71%	463	28%	16	1%	6	0%
Gloucester, MA	4,948	3,183	64%	1,765	36%	3,179	64%	1,548	31%	123	2%	99	2%
Boston, MA	607	140	23%	467	77%	603	99%	0	0%	2	0%	2	0%
New Bedford, MA	5,897	139	2%	5,758	98%	5,890	100%	3	0%	0	0%	4	0%
Point Judith, RI	108	1	1%	107	99%	104	96%	1	1%	0	0%	3	3%
MAINE	2,076	1,369	66%	708	34%	1,413	68%	636	31%	16	1%	11	1%
NEW HAMPSHIRE	1,169	1,167	100%	1	0%	557	48%	598	51%	4	0%	9	1%
MASSACHUSETTS	14,973	4,817	32%	10,156	68%	10,945	73%	3,182	21%	464	3%	382	3%
RHODE ISLAND	337	1	0%	335	100%	261	77%	33	10%	0	0%	43	13%
CONNECTICUT	6	0	0%	6	100%	6	89%	1	0%	0	0%	0	0%
NEW YORK	53	0	0%	53	100%	4	7%	0	0%	34	64%	15	29%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	18,614	7,354	40%	11,259	60%	13,186	71%	4,450	24%	518	3%	460	2%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. State landings for CT are estimated for the May 2003 - Apr. 2004 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		2003/2004*		2002/2003*		Fishing
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	MAY03-APR04 as % of Target TAC	Target TAC 1000 Lbs	MAY02-APR03 as % of Target TAC	Target TAC 1000 Lbs	Year* Landings 1000 Lbs
GULF OF MAINE	186	11%	494	28%	40	1%	2,221	15%					
OTTER TRAWL	154	9%	198	11%	27	1%	1,679	11%					
GILLNET	11	1%	152	9%	4	0%	283	2%					
HOOK	20	1%	104	6%	8	0%	213	1%					
OTHER GEARS	0	0%	40	2%	1	0%	45	0%					
GEORGES BANK	1,445	89%	1,290	72%	2,688	99%	13,057	85%	51%	25,586	56%	25,751	
OTTER TRAWL	1,391	85%	1,264	71%	2,688	99%	12,527	82%	49%		55%		
GILLNET	0	0%	0	0%	0	0%	75	0%	0%		1%		
HOOK	40	2%	9	1%	0	0%	377	2%	1%		0%		
OTHER GEARS	15	1%	17	1%	0	0%	78	1%	0%		0%		
SNE/ MID-ATLANTIC	0	0%	0	0%	0	0%	3	0%					
OTTER TRAWL	0	0%	0	0%	0	0%	2	0%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
ALL AREAS	1,632	100%	1,785	100%	2,728	100%	15,281	100%					
OTTER TRAWL	1,545	95%	1,463	82%	2,715	100%	14,208	93%					
GILLNET	12	1%	152	9%	4	0%	359	2%					
HOOK	60	4%	113	6%	8	0%	590	4%					
OTHER GEARS	15	1%	57	3%	1	0%	123	1%					
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	1,632		1,785		2,728		15,281						15,281
Fishing Year 2002/2003	1,517		1,679		2,432		16,198						16,198
Fishing Year 2001/2002	2,003		1,419		2,051		14,341						14,341
Fishing Year 2000/2001	1,045		1,653		1,470		10,501						10,501
Fishing Year 1999/2000	1,165		1,426		735		8,999						8,999
Fishing Year 1998/1999	366		318		404		6,009						6,009

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. State landings for 2002 have been updated and are complete.

4. State landings for CT are estimated for the MAY 2003 - APR 2004 period.

5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,544	525	34%	1,019	66%	0	0%	1,439	93%	48	3%	17	1%	39	3%
Gloucester, MA	3,713	1,064	29%	2,646	71%	2	0%	3,344	90%	190	5%	128	3%	50	1%
Boston, MA	638	118	18%	520	82%	0	0%	638	100%	0	0%	0	0%	0	0%
New Bedford, MA	7,894	103	1%	7,791	99%	0	0%	7,894	100%	0	0%	0	0%	0	0%
Point Judith, RI	109	0	0%	109	100%	0	0%	109	100%	0	0%	0	0%	0	0%
MAINE	1,605	586	37%	1,019	63%	0	0%	1,497	93%	52	3%	17	1%	39	2%
NEW HAMPSHIRE	86	86	100%	0	0%	0	0%	49	57%	30	35%	7	8%	0	0%
MASSACHUSETTS	13,169	1,548	12%	11,618	88%	3	0%	12,272	93%	277	2%	566	4%	54	0%
RHODE ISLAND	407	0	0%	407	100%	0	0%	378	93%	0	0%	0	0%	30	7%
CONNECTICUT	12	0	0%	12	100%	0	0%	12	100%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	15,281	2,221	15%	13,057	85%	3	0%	14,208	93%	359	2%	590	4%	123	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

- State landings for CT are estimated for the May 2003 - Apr 2004 period.
- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		2003/2004*		2002/2003*		Fishing
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	MAY03-APR04 as % of Target TAC	Target TAC 1000 Lbs	MAY02-APR03 as % of Target TAC	Target TAC 1000 Lbs	Year* Landings 1000 Lbs
GULF OF MAINE	5	0%	3	0%	7	1%	176	2%					
OTTER TRAWL	5	0%	3	0%	6	1%	175	2%					
GILLNET	0	0%	0	0%	0	0%	1	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
CAPE COD	134	14%	379	61%	74	8%	2,911	28%					
OTTER TRAWL	66	7%	201	32%	69	7%	2,624	25%					
GILLNET	68	7%	177	29%	4	0%	284	3%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	1	0%	3	0%					
GEORGES BANK	755	81%	213	34%	835	87%	6,993	67%	40%	17,288	39%	15,003	
OTTER TRAWL	755	81%	213	34%	835	87%	6,988	67%	40%		39%		
GILLNET	0	0%	0	0%	0	0%	2	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	2	0%	0%		0%		
SNE/ MID-ATLANTIC	36	4%	27	4%	39	4%	316	3%	80%	393	52%	2,092	
OTTER TRAWL	36	0	27	0	39	0	312	3%	79%		52%		
GILLNET	0	0%	0	0%	0	0%	1	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	3	0%	1%		0%		
ALL AREAS	930	100%	621	100%	955	100%	10,396	100%					
OTTER TRAWL	862	93%	443	71%	949	99%	10,100	97%					
GILLNET	68	7%	178	29%	5	1%	288	3%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	1	0%	8	0%					
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	930		621		955		10,396						10,396
Fishing Year 2002/2003	1,170		1,487		1,191		11,774						11,774
Fishing Year 2001/2002	1,027		1,529		1,140		14,604						14,604
Fishing Year 2000/2001	1,128		2,000		1,359		15,990						15,990
Fishing Year 1999/2000	861		1,734		1,707		11,601						11,601
Fishing Year 1998/1999	846		1,168		875		9,571						9,571

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- Landings in live weight.
- State landings for 2002 have been updated and are complete.
- State landings for CT are estimated for the MAY 2003 - APR 2004 period.
- Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	62	8	13%	7	11%	47	76%	0	0%	62	100%	0	0%	0	0%	0	0%
Gloucester, MA	1,002	43	4%	844	84%	112	11%	3	0%	878	88%	124	12%	0	0%	0	0%
Boston, MA	144	4	3%	95	66%	45	31%	0	0%	144	100%	0	0%	0	0%	0	0%
New Bedford, MA	7,499	49	1%	1,099	15%	6,241	83%	110	1%	7,497	100%	0	0%	0	0%	2	0%
Point Judith, RI	326	18	5%	5	2%	193	59%	110	34%	324	100%	0	0%	0	0%	2	0%
MAINE	63	9	14%	7	11%	47	75%	0	0%	63	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	64	47	72%	18	28%	0	0%	0	0%	64	99%	1	0%	0	0%	0	0%
MASSACHUSETTS	9,565	103	1%	2,872	30%	6,472	68%	119	1%	9,273	97%	287	3%	0	0%	5	0%
RHODE ISLAND	638	18	3%	15	2%	467	73%	139	22%	635	100%	0	0%	0	0%	3	0%
CONNECTICUT	19	0	0%	0	0%	4	23%	15	77%	19	98%	0	0%	0	0%	0	0%
NEW YORK	43	0	0%	0	0%	2	6%	41	94%	43	100%	0	0%	0	0%	0	0%
NEW JERSEY	3	0	0%	0	0%	0	0%	3	100%	2	94%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	10,396	176	2%	2,911	28%	6,993	67%	316	3%	10,100	97%	288	3%	0	0%	8	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. State landings for CT are estimated for the May 2003 - Apr. 2004 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Prorated White Hake Landings

	FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
SNE/ NORTH	734	100%	829	100%	464	100%	8,481	100%	
OTTER TRAWL	526	72%	783	94%	363	78%	5,665	67%	
GILLNET	207	28%	19	2%	101	22%	2,722	32%	
HOOK	0	0%	0	0%	0	0%	58	1%	
OTHER GEARS	1	0%	26	3%	0	0%	36	0%	
MID-ATLANTIC	0	0%	1	0%	0	0%	3	0%	
OTTER TRAWL	0	0%	0	0%	0	0%	2	0%	
GILLNET	0	0%	1	0%	0	0%	1	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	734	100%	830	100%	464	100%	8,484	100%	
OTTER TRAWL	526	72%	783	94%	363	78%	5,667	67%	
GILLNET	207	28%	20	2%	101	22%	2,723	32%	
HOOK	0	0%	0	0%	0	0%	58	1%	
OTHER GEARS	1	0%	26	3%	0	0%	36	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	734		830		464		8,484		8,484
Fishing Year 2002/2003	637		1,010		588		7,686		7,686
Fishing Year 2001/2002	664		693		516		8,344		8,344
Fishing Year 2000/2001	452		441		490		6,932		6,932
Fishing Year 1999/2000	352		429		424		5,928		5,928
Fishing Year 1998/1999	307		345		312		5,655		5,655

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

2. Landings in live weight.
3. State landings for CT are estimated for the May 2003 - Apr. 2004 period.
5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	4,573	4,572	100%	1	0%	3,371	74%	1,159	25%	30	1%	13	0%
Gloucester, MA	1,954	1,954	100%	1	0%	985	50%	946	48%	7	0%	17	1%
Boston, MA	462	462	100%	0	0%	462	100%	0	0%	0	0%	0	0%
New Bedford, MA	372	372	100%	0	0%	372	100%	0	0%	0	0%	0	0%
Point Judith, RI	9	9	99%	0	0%	9	100%	0	0%	0	0%	0	0%
MAINE	5,102	5,102	100%	1	0%	3,705	73%	1,352	27%	30	1%	14	0%
NEW HAMPSHIRE	444	444	100%	0	0%	59	13%	385	87%	0	0%	0	0%
MASSACHUSETTS	2,879	2,878	100%	1	0%	1,846	64%	985	34%	28	1%	20	1%
RHODE ISLAND	57	57	100%	0	0%	55	98%	0	0%	0	0%	1	2%
CONNECTICUT	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	94%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	8,484	8,481	100%	3	0%	5,667	67%	2,723	32%	58	1%	36	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. State landings for CT are estimated for the May 2003 - Apr. 2004 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	235	99%	261	100%	201	96%	4,516	99%	
OTTER TRAWL	232	98%	241	92%	199	96%	4,471	98%	
GILLNET	2	1%	17	6%	1	1%	32	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	3	1%	1	0%	13	0%	
SNE / MID-ATLANTIC	2	1%	0	0%	7	4%	29	1%	
OTTER TRAWL	2	1%	0	0%	7	4%	29	1%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	236	100%	261	100%	208	100%	4,545	100%	
OTTER TRAWL	234	99%	241	92%	206	99%	4,500	99%	
GILLNET	2	1%	17	6%	1	1%	32	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	3	1%	1	0%	13	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	236		261		208		4,545		4,545
Fishing Year 2002/2003	262		427		298		6,236		6,236
Fishing Year 2001/2002	497		580		827		9,978		9,978
Fishing Year 2000/2001	408		565		733		9,949		9,949
Fishing Year 1999/2000	411		524		555		7,003		7,003
Fishing Year 1998/1999	364		479		539		7,787		7,787

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. State landings for CT are estimated for the May 2003 - Apr. 2004 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,487	1,484	100%	3	0%	1,481	100%	3	0%	0	0%	3	0%
Gloucester, MA	705	699	99%	6	1%	686	97%	19	3%	0	0%	0	0%
Boston, MA	334	334	100%	0	0%	334	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,147	1,131	99%	16	1%	1,147	100%	0	0%	0	0%	0	0%
Point Judith, RI	38	37	98%	1	0%	38	100%	0	0%	0	0%	0	0%
MAINE	2,023	2,020	100%	3	0%	2,013	99%	4	0%	0	0%	7	0%
NEW HAMPSHIRE	38	38	100%	0	0%	31	84%	6	16%	0	0%	0	0%
MASSACHUSETTS	2,394	2,372	99%	22	1%	2,371	99%	22	1%	0	0%	1	0%
RHODE ISLAND	88	85	97%	2	3%	82	93%	0	0%	0	0%	6	7%
CONNECTICUT	2	1	0%	1	52%	2	100%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,545	4,516	99%	29	1%	4,500	99%	32	1%	0	0%	13	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. State landings for CT are estimated for the May 2003 - Apr. 2004 period.

3. Landings in live weight.

4. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	64	38%	195	57%	51	7%	1,453	12%	
OTTER TRAWL	49	29%	129	38%	50	7%	1,289	11%	
GILLNET	14	8%	65	19%	0	0%	161	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	3	0%	
GEORGES BANK	34	20%	65	19%	502	67%	6,549	55%	
OTTER TRAWL	34	20%	65	19%	502	67%	6,541	54%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	8	0%	
SNE/ MID-ATLANTIC	72	43%	80	24%	198	26%	4,009	33%	
OTTER TRAWL	68	40%	79	23%	179	24%	3,935	33%	
GILLNET	4	3%	0	0%	17	2%	66	1%	
HOOK	0	0%	0	0%	0	0%	1	0%	
OTHER GEARS	0	0%	0	0%	2	0%	8	0%	
ALL AREAS	170	100%	340	100%	751	100%	12,011	100%	
OTTER TRAWL	151	89%	273	80%	732	97%	11,764	98%	
GILLNET	19	11%	66	19%	17	2%	228	2%	
HOOK	0	0%	0	0%	0	0%	1	0%	
OTHER GEARS	0	0%	0	0%	2	0%	19	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	170		340		751		12,011		12,011
Fishing Year 2002/2003	221		489		642		11,941		11,941
Fishing Year 2001/2002	654		494		1,195		15,383		15,383
Fishing Year 2000/2001	318		635		1,333		13,796		13,796
Fishing Year 1999/2000	200		374		960		10,366		10,366
Fishing Year 1998/1999	160		360		959		11,283		11,283

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. State landings for CT are estimated for the May 2003 - Apr. 2004 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	113	16	15%	77	68%	20	17%	113	100%	0	0%	0	0%	0	0%
Gloucester, MA	806	544	67%	184	23%	78	10%	701	87%	104	13%	0	0%	0	0%
Boston, MA	117	55	47%	52	44%	11	9%	117	100%	0	0%	0	0%	0	0%
New Bedford, MA	8,689	186	2%	6,126	71%	2,377	27%	8,685	100%	0	0%	0	0%	3	0%
Point Judith, RI	547	1	0%	52	10%	494	90%	547	100%	0	0%	0	0%	0	0%
MAINE	114	17	15%	77	68%	20	17%	114	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	19	19	100%	0	0%	0	0%	14	73%	5	27%	0	0%	0	0%
MASSACHUSETTS	10,389	1,417	14%	6,371	61%	2,601	25%	10,165	98%	214	2%	1	0%	10	0%
RHODE ISLAND	746	1	0%	98	13%	648	87%	731	98%	8	1%	0	0%	6	1%
CONNECTICUT	80	0	0%	2	3%	78	97%	80	100%	0	0%	0	0%	0	0%
NEW YORK	257	0	0%	0	0%	256	100%	255	99%	0	0%	0	0%	2	1%
NEW JERSEY	407	0	0%	0	0%	406	100%	406	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	12,011	1,453	12%	6,549	55%	4,009	33%	11,764	98%	228	2%	1	0%	19	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. State landings for CT are estimated for the May 2003 - Apr. 2004 period.

3. Landings in live weight.

4. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	585	99%	556	99%	508	98%	6,650	98%	
OTTER TRAWL	584	99%	553	98%	508	98%	6,601	98%	
GILLNET	0	0%	0	0%	0	0%	37	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	3	1%	0	0%	11	0%	
SNE/ MID-ATLANTIC	7	1%	6	1%	11	2%	108	2%	
OTTER TRAWL	7	1%	6	1%	11	2%	107	2%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	2	0%	
ALL AREAS	592	100%	563	100%	519	100%	6,758	100%	
OTTER TRAWL	591	100%	559	99%	519	100%	6,708	99%	
GILLNET	0	0%	0	0%	0	0%	37	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	3	1%	0	0%	13	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	592		563		519		6,758		6,758
Fishing Year 2002/2003	536		667		389		6,168		6,168
Fishing Year 2001/2002	594		682		918		7,246		7,246
Fishing Year 2000/2001	364		523		698		5,941		5,941
Fishing Year 1999/2000	426		486		407		4,896		4,896
Fishing Year 1998/1999	312		410		395		4,048		4,048

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. State landings for CT are estimated for the May 2003 - Apr. 2004 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - Apr 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,355	1,352	100%	3	0%	1,350	100%	1	0%	0	0%	4	0%
Gloucester, MA	1,855	1,849	100%	6	0%	1,831	99%	23	1%	0	0%	0	0%
Boston, MA	614	614	100%	0	0%	614	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,521	1,498	98%	23	2%	1,519	100%	0	0%	0	0%	2	0%
Point Judith, RI	61	42	69%	19	31%	61	100%	0	0%	0	0%	0	0%
MAINE	1,737	1,733	100%	3	0%	1,731	100%	1	0%	0	0%	4	0%
NEW HAMPSHIRE	127	127	100%	0	0%	125	98%	2	2%	0	0%	0	0%
MASSACHUSETTS	4,687	4,656	99%	31	1%	4,650	99%	34	1%	0	0%	4	0%
RHODE ISLAND	151	129	85%	22	15%	147	97%	0	0%	0	0%	4	3%
CONNECTICUT	7	4	62%	3	38%	7	98%	0	0%	0	0%	0	0%
NEW YORK	5	0	0%	5	93%	5	100%	0	0%	0	0%	0	0%
NEW JERSEY	39	0	0%	39	100%	39	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	5	0	0%	5	100%	5	98%	0	0%	0	0%	0	0%
TOTAL	6,758	6,650	98%	108	2%	6,708	99%	37	1%	0	0%	13	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. State landings for CT are estimated for the May 2003 - Apr. 2004 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	16	56%	7	33%	9	35%	51	37%	
OTTER TRAWL	16	56%	7	33%	9	35%	51	37%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
SNE/ MID-ATLANTIC	12	44%	15	67%	16	65%	86	63%	
OTTER TRAWL	12	44%	14	66%	15	62%	85	62%	
GILLNET	0	0%	0	0%	1	0%	1	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	28	100%	22	100%	24	100%	137	100%	
OTTER TRAWL	28	100%	22	99%	24	97%	135	99%	
GILLNET	0	0%	0	0%	1	0%	1	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	28		22		24		137		137
Fishing Year 2002/2003	16		15		28		135		135
Fishing Year 2001/2002	33		29		49		261		261
Fishing Year 2000/2001	53		89		74		431		431
Fishing Year 1999/2000	74		197		142		600		600
Fishing Year 1998/1999	28		61		86		613		613

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.
3. State landings for CT are estimated for the May 2003 - Apr. 2004 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
Boston, MA	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
New Bedford, MA	42	41	98%	1	0%	42	100%	0	0%	0	0%	0	0%
Point Judith, RI	23	5	23%	18	77%	23	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%
MASSACHUSETTS	44	43	98%	1	0%	44	100%	0	0%	0	0%	0	0%
RHODE ISLAND	25	6	23%	19	77%	25	100%	0	0%	0	0%	0	0%
CONNECTICUT	2	0	0%	2	89%	2	100%	0	0%	0	0%	0	0%
NEW YORK	39	0	0%	39	100%	39	99%	0	0%	0	0%	0	0%
NEW JERSEY	24	0	0%	24	100%	24	98%	1	0%	0	0%	0	0%
OTHER NORTHEAST	1	0	0%	1	100%	1	0%	1	0%	0	0%	0	0%
TOTAL	137	51	37%	86	63%	135	99%	1	1%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. State landings for CT are estimated for the May 2003 - Apr. 2004 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

		FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		2003/2004*		2002/2003*		Fishing Year* Landings
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03-Apr04 as a % of Target TAC	Target TAC 1000 Lbs	May02-Apr03 as a % of Target TAC	Target TAC 1000 Lbs	1000 Lbs
ATLANTIC POLLOCK	2003/2004	895	33%	949	31%	619	23%	9,473	22%	15%				
	2002/2003	876	34%	1,303	32%	689	26%	8,213	20%			15%		
	2001/ 2002	887	26%	825	24%	599	14%	9,931	19%					
	2000/ 2001	426	21%	651	22%	600	15%	8,501	18%					
	1999/ 2000	787	34%	1,010	33%	440	15%	8,832	23%					
REDFISH	2003/2004	81	3%	75	2%	70	3%	914	2%	1%				
	2002/2003	57	2%	148	4%	39	1%	676	2%			1%		
	2001/ 2002	123	4%	97	3%	79	2%	1,032	2%					
	2000/ 2001	37	2%	43	1%	59	1%	723	2%					
	1999/ 2000	43	2%	54	2%	35	1%	677	2%					
WHITE HAKE	2003/2004	734	27%	830	27%	464	17%	8,484	20%	14%				
	2002/2003	637	24%	1,010	25%	588	22%	7,686	19%			14%		
	2001/ 2002	664	19%	693	20%	516	12%	8,344	16%					
	2000/ 2001	452	22%	441	15%	490	12%	6,932	15%					
	1999/ 2000	352	15%	429	14%	424	14%	5,928	15%					
AMERICAN PLAICE	2003/2004	236	9%	261	9%	208	8%	4,545	11%	7%				
	2002/2003	262	10%	427	11%	298	11%	6,236	15%			11%		
	2001/ 2002	497	14%	580	17%	827	20%	9,978	19%					
	2000/ 2001	408	20%	565	19%	733	18%	9,949	22%					
	1999/ 2000	411	18%	524	17%	555	19%	7,003	18%					
WINTER FLOUNDER	2003/2004	170	6%	340	11%	751	28%	12,011	28%	20%				
	2002/2003	221	8%	489	12%	642	24%	11,941	29%			21%		
	2001/ 2002	654	19%	494	15%	1,195	29%	15,383	29%					
	2000/ 2001	318	15%	635	22%	1,333	33%	13,796	30%					
	1999/ 2000	200	9%	374	12%	960	32%	10,366	27%					
WITCH FLOUNDER	2003/2004	592	22%	563	19%	519	20%	6,758	16%	11%				
	2002/2003	536	21%	667	16%	389	15%	6,168	15%			11%		
	2001/ 2002	594	17%	682	20%	918	22%	7,246	14%					
	2000/ 2001	364	18%	523	18%	698	18%	5,941	13%					
	1999/ 2000	426	19%	486	16%	407	14%	4,896	13%					
WINDOWPANE FLDR	2003/2004	28	1%	22	1%	24	1%	137	0%	0%				
	2002/2003	16	1%	15	0%	28	1%	135	0%			0%		
	2001/ 2002	33	1%	29	1%	49	1%	261	0%					
	2000/ 2001	53	3%	89	3%	74	2%	431	1%					
	1999/ 2000	74	3%	197	6%	142	5%	600	2%					
ALL 7 SPECIES - TOTAL		2,737	100%	3,038	100%	2,656	100%	42,322	100%	69%	61,329			42,322
2002/ 2003		2,605	100%	4,060	100%	2,672	100%	41,057	100%			73%	56,200	41,057
2001/ 2002		3,452	100%	3,399	100%	4,183	100%	52,175	100%					52,175
2000/ 2001		2,058	100%	2,947	100%	3,986	100%	46,273	100%					46,273
1999/ 2000		2,293	100%	3,074	100%	2,963	100%	38,302	100%					38,302

1. Landings in live weight.

2. Gear data are based on vessel trip reports.

3. State landings for CT are estimated for the May 2003 - Apr. 2004 period.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	8	1%	6	0%	10	2%	3,261	19%	
OTTER TRAWL	8	1%	6	0%	10	2%	3,171	18%	
GILLNET	0	0%	0	0%	0	0%	28	0%	
HOOK	0	0%	0	0%	0	0%	9	0%	
OTHER GEARS	0	0%	0	0%	0	0%	53	0%	
SNE/ MID-ATLANTIC	1,219	99%	1,863	100%	634	98%	13,998	81%	
OTTER TRAWL	1,219	99%	1,862	100%	634	98%	13,942	81%	
GILLNET	0	0%	1	0%	0	0%	56	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	1,227	100%	1,869	100%	644	100%	17,259	100%	
OTTER TRAWL	1,227	100%	1,868	100%	644	100%	17,113	99%	
GILLNET	0	0%	1	0%	0	0%	83	0%	
HOOK	0	0%	0	0%	0	0%	10	0%	
OTHER GEARS	0	0%	0	0%	0	0%	53	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2002	1,227		1,869		644		17,259		17,259
Fishing Year 2002/2003	1,093		1,248		467		15,741		15,741
Fishing Year 2001/2002	1,943		1,553		1,118		24,585		24,585
Fishing Year 2000/2001	2,253		2,604		2,015		27,359		27,359
Fishing Year 1999/2000	2,308		2,452		2,016		29,045		29,045
Fishing Year 1998/1999	2,287		3,179		3,261		33,308		33,308

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561

Southern New England: 525-552, 611-639

2. Landings in live weight.

3. State landings for CT are estimated for the May 2003 - Apr. 2004 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1	1	100%	0	0%	1	85%	0	0%	0	0%	0	0%
Gloucester, MA	515	502	97%	13	3%	484	94%	22	4%	9	2%	0	0%
Boston, MA	31	13	40%	19	60%	31	100%	0	0%	0	0%	0	0%
New Bedford, MA	5,506	1,749	32%	3,757	68%	5,506	100%	0	0%	0	0%	0	0%
Point Judith, RI	4,799	387	8%	4,411	92%	4,798	100%	0	0%	0	0%	0	0%
MAINE	1	1	100%	0	0%	1	87%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	90	90	100%	0	0%	87	97%	3	3%	0	0%	0	0%
MASSACHUSETTS	6,369	2,576	40%	3,793	60%	6,283	99%	25	0%	10	0%	53	1%
RHODE ISLAND	5,333	390	7%	4,943	93%	5,282	99%	51	1%	0	0%	0	0%
CONNECTICUT	1,828	0	0%	1,828	100%	1,828	100%	0	0%	0	0%	0	0%
NEW YORK	3,394	202	6%	3,192	94%	3,393	100%	1	0%	0	0%	0	0%
NEW JERSEY	237	0	0%	237	100%	237	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	5	0	0%	5	95%	2	36%	3	64%	0	0%	0	0%
TOTAL	17,259	3,261	19%	13,998	81%	17,113	99%	83	0%	10	0%	53	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. State landings for CT are estimated for the May 2003 - Apr 2004 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

	FEB - 2004		MAR - 2004		APR - 2004		MAY 03 - APR 04		2003/2004*		2002/2003*		Fishing
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03-Apr04 as a % of Target TAC	Target TAC 1000 Lbs	May02-Apr03 as a % of Target TAC	Target TAC 1000 Lbs	Year* Landings 1000 Lbs
NORTHERN	3,021	63%	3,464	75%	1,995	55%	29,367	55%	75%	39,039	123%	25,737	
OTTER TRAWL	2,909	60%	3,378	73%	1,919	53%	23,121	44%	59%		96%		
GILLNET	109	2%	77	2%	75	2%	5,502	10%	14%		26%		
HOOK	0	0%	0	0%	0	0%	1	0%	0%		0%		
OTHER GEARS	3	0%	9	0%	0	0%	743	1%	2%		1%		
SOUTHERN	1,807	37%	1,170	25%	1,660	45%	23,580	45%	105%	22,511	94%	17,463	
OTTER TRAWL	356	7%	292	6%	151	4%	2,981	6%	13%		14%		
GILLNET	1,274	26%	730	16%	1,345	37%	17,501	33%	78%		68%		
HOOK	0	0%	0	0%	0	0%	1	0%	0%		0%		
OTHER GEARS	177	4%	149	3%	164	4%	3,097	6%	14%		12%		
ALL AREAS	4,828	100%	4,634	100%	3,655	100%	52,947	100%	86%	61,551	111%	43,200	
OTTER TRAWL	3,265	68%	3,670	79%	2,070	57%	26,102	49%	42%		63%		
GILLNET	1,383	29%	806	17%	1,420	39%	23,003	43%	37%		43%		
HOOK	0	0%	0	0%	0	0%	2	0%	0%		0%		
OTHER GEARS	180	4%	157	3%	164	4%	3,840	7%	6%		5%		
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	4,828		4,634		3,655		52,947						52,947
Fishing Year 2002/2003	3,885		5,801		3,423		48,077						48,077
Fishing Year 2001/2002	4,269		4,457		5,876		57,148						57,148
Fishing Year 2000/2001	3,077		3,209		3,926		43,694						43,694
Fishing Year 1999/2000	4,592		4,713		3,851		52,979						52,979
Fishing Year 1998/1999	5,170		4,811		5,312		59,487						59,487

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. State landings for CT are estimated for the May 2003 - Apr. 2004 period.
4. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	8,731	8,672	99%	60	1%	8,140	93%	589	7%	1	0%	2	0%
Gloucester, MA	6,257	6,151	98%	107	2%	3,730	60%	2,513	40%	0	0%	14	0%
Boston, MA	2,548	2,537	100%	11	0%	2,548	100%	0	0%	0	0%	0	0%
New Bedford, MA	12,425	6,319	51%	6,106	49%	6,556	53%	3,078	25%	0	0%	2,791	22%
Point Judith, RI	2,479	121	5%	2,358	95%	909	37%	1,480	60%	0	0%	90	4%
MAINE	10,541	10,474	99%	67	1%	9,816	93%	716	7%	1	0%	8	0%
NEW HAMPSHIRE	1,128	1,127	100%	0	0%	94	8%	1,025	91%	0	0%	8	1%
MASSACHUSETTS	24,952	16,612	67%	8,339	33%	13,507	54%	8,602	34%	1	0%	2,842	11%
RHODE ISLAND	5,871	1,128	19%	4,742	81%	1,965	33%	3,753	64%	0	0%	153	3%
CONNECTICUT	488	10	2%	479	98%	67	14%	279	57%	0	0%	143	29%
NEW YORK	1,052	3	0%	1,049	100%	227	22%	819	78%	1	0%	4	0%
NEW JERSEY	7,243	12	0%	7,232	100%	156	2%	6,615	91%	0	0%	472	7%
OTHER NORTHEAST	1,673	1	0%	1,672	100%	270	16%	1,194	71%	0	0%	209	13%
TOTAL	52,947	29,367	55%	23,580	45%	26,102	49%	23,003	43%	2	0%	3,840	7%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. State landings for CT are estimated for the May 2003 - Apr. 2004 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	DEC - 2003		JAN - 2004		FEB - 2004		MAR 03 - FEB 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	10	0%	9	1%	59	2%	494	1%	
OTTER TRAWL	1	0%	1	0%	5	0%	10	0%	
DREDGE	10	0%	9	1%	54	2%	483	1%	
OTHER GEARS	0	0%	0	0%	0	0%	2	0%	
SOUTH CHANNEL	537	24%	104	7%	357	13%	6,254	11%	
OTTER TRAWL	0	0%	0	0%	1	0%	32	0%	
DREDGE	537	24%	104	7%	356	12%	6,222	11%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK NORTH	24	1%	49	3%	162	6%	2,700	5%	
OTTER TRAWL	0	0%	0	0%	0	0%	2	0%	
DREDGE	24	1%	49	3%	162	6%	2,697	5%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK SOUTH	43	2%	136	9%	21	1%	1,557	3%	
OTTER TRAWL	0	0%	0	0%	0	0%	1	0%	
DREDGE	43	2%	136	9%	21	1%	1,556	3%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
S. NEW ENGLAND	10	0%	0	0%	17	1%	157	0%	
OTTER TRAWL	0	0%	0	0%	0	0%	6	0%	
DREDGE	10	0%	0	0%	17	1%	151	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
NEW YORK BIGHT	679	30%	594	40%	789	28%	19,988	36%	
OTTER TRAWL	3	0%	4	0%	19	1%	205	0%	
DREDGE	676	30%	590	40%	770	27%	19,783	35%	
OTHER GEARS	0	0%	0	0%	0	0%	1	0%	
DE / MD / VA	953	42%	580	39%	1,432	50%	24,599	44%	
OTTER TRAWL	34	1%	15	1%	32	1%	2,700	5%	
DREDGE	919	41%	564	38%	1,399	49%	21,899	39%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
VA / NC	0	0%	13	1%	18	1%	461	1%	
OTTER TRAWL	0	0%	0	0%	0	0%	26	0%	
DREDGE	0	0%	13	1%	18	1%	436	1%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	2,257	100%	1,485	100%	2,855	100%	56,212	100%	
OTTER TRAWL	38	2%	20	1%	57	2%	2,983	5%	
DREDGE	2,218	98%	1,465	99%	2,797	98%	53,226	95%	
OTHER GEARS	0	0%	0	0%	0	0%	3	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	2,257		1,485		2,855		56,212		56,212
Fishing Year 2002/2003	2,567		1,579		1,938		51,734		51,734
Fishing Year 2001/2002	2,599		1,872		2,607		47,506		47,506
Fishing Year 2000/2001	1,848		2,009		1,660		34,309		34,309
Fishing Year 1999/2000	1,191		449		1,140		22,563		22,563

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

- Landings in meat weight.
- State landings for CT are estimated for the Mar. 2003 - Feb 2004 period.
- Gear data are based on vessel trip reports.
- * Fishing Year is March 1 through February 29.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March 03 - FEB 04

PORT/ STATE	MAR 03 - FEB 04	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	24,659	42	0%	5,752	23%	2,659	11%	1,557	6%	141	1%	11,735	48%	2,735	11%	36	0%
Cape May, NJ	7,186	3	0%	0	0%	0	0%	0	0%	0	0%	2,826	39%	4,330	60%	26	0%
Norfolk, VA	17,322	0	0%	21	0%	0	0%	0	0%	10	0%	1,014	6%	15,908	92%	369	2%
MAINE	73	23	31%	50	69%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	100	12	12%	87	88%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	25,479	456	2%	6,093	24%	2,672	10%	1,557	6%	146	1%	11,776	46%	2,743	11%	36	0%
RHODE ISLAND	48	0	0%	1	0%	0	0%	0	0%	0	0%	46	97%	0	0%	0	0%
CONNECTICUT	1,697	0	0%	1	0%	28	2%	0	0%	0	0%	1,616	95%	53	3%	0	0%
NEW JERSEY	10,789	3	0%	1	0%	0	0%	0	0%	0	0%	5,486	51%	5,273	49%	26	0%
VIRGINIA	17,811	0	0%	21	0%	0	0%	0	0%	10	0%	1,034	6%	16,349	92%	397	2%
OTHER NORTHEAST	214	0	0%	0	0%	0	0%	0	0%	0	0%	31	15%	180	84%	2	1%
TOTAL	56,212	494	1%	6,254	11%	2,700	5%	1,557	3%	157	0%	19,988	36%	24,599	44%	461	1%

PORT/ STATE	MAR 03 - FEB 04	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	24,659	8	0%	24,651	100%	0	0%
Cape May, NJ	7,186	855	12%	6,331	88%	0	0%
Norfolk, VA	17,322	1,667	10%	15,655	90%	0	0%
MAINE	73	0	0%	71	98%	2	2%
NEW HAMPSHIRE	100	0	0%	99	100%	0	0%
MASSACHUSETTS	25,479	28	0%	25,450	100%	0	0%
RHODE ISLAND	48	1	3%	46	97%	0	0%
CONNECTICUT	1,697	1	0%	1,696	100%	0	0%
NEW JERSEY	10,789	927	9%	9,861	91%	1	0%
VIRGINIA	17,811	1,947	11%	15,865	89%	0	0%
OTHER NORTHEAST	214	78	36%	137	64%	0	0%
TOTAL	56,212	2,983	5%	53,226	95%	3	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. State landings for CT are estimated for the Mar. 2003 - Feb. 2004 period.

3. Landings in meat weight.

4. Gear data are based on vessel trip reports.